



TGM 18.250-320 4x2 BL CH



CABS

	CC: NARROW, SHORT, NORMAL HEIGHT	TN: NARROW, LONG, NORMAL HEIGHT	DN: NARROW, EXTRA LONG, NORMAL HEIGHT
EXTERNAL LENGTH	1,620mm	2,280mm	2,790mm
EXTERNAL WIDTH	2,240mm	2,240mm	2,240mm
INTERIOR LENGTH	1,550mm	2,145mm	2,650mm
INTERIOR WIDTH	2,070mm	2,070mm	2,070mm
ENGINE TUNNEL HEIGHT	260/140mm	260mm	260mm
STANDING HEIGHT ON THE ENGINE TUNNEL	1,280mm	1,410mm	1,385mm
SEATS QUANTITY	2 (option for 3)	2	7 (option for 6)
STANDING HEIGHT IN FRONT OF THE CO-DRIVER'S SEAT	1,585mm	1,690mm	1,645/ 1,620mm
BUNK QUANTITY	-	1	-
BUNK WIDTH	-	800mm	-
BUNK LENGTH	-	1,960mm	-



CAB EXTERIOR

	CC	TN	DN
CAB PAINT RAL 9016	✓	✓	✓
BUMPER PAINT - TEXTURED COATING	✓	✓	✓
CABIN TILT MECHANISM - MANUAL	✓	✓	✓
ROOF SPOILER	✓	✓	✓
TILTING ROOF MECHANICAL	✓	✓	✓
SUNVISOR	✓	✓	✓
CENTRAL LOCKING WITH REMOTE CONTROL	✓	✓	✓
WIPER ACTIVATION, MANUAL	✓	✓	✓
FRONT HEADLIGHTS, H7	✓	✓	✓
DAYTIME DRIVING LIGHTS, LED	✓	✓	✓
DRIVING LIGHT CONTROL, MANUAL	✓	✓	✓
COMPRESSED AIR HORNS	-	✓	✓
EXTERIOR REAR VIEW MIRROR, ELECTRIC, MAIN AND SPOTTER	✓	✓	✓
KERB MIRROR LEFT, ELECTRIC	✓	✓	✓
FRONT MIRROR, MECHANICAL	✓	✓	✓


TGM 18.250-320 4×2 BL CH




CAB INTERIOR

	CC	TN	DN
MULTI-FUNCTION STEERING WHEEL, ADJUSTABLE HEIGHT AND ANGLE	✓	✓	✓
STEERING WHEEL, WITH PARKING POSITION	✓	✓	✓
STEERING LOCK, WITH ELECTRONIC IMMOBILISER	✓	✓	✓
COMFORT DRIVER'S SEAT, AIR-SPRUNG, WITH LUMBAR SUPPORT AND SHOULDER ADJUSTMENT	✓	✓	✓
DRIVER'S SEAT HEATING	✓	✓	✓
DRIVER'S SEAT ARM RESTS	✓	✓	✓
CO-DRIVER'S SEAT, NOT SPRUNG, LENGTH, HEIGHT AND BACKREST ADJUSTMENT	✓	✓	✓
CO-DRIVER'S SEAT ARM RESTS	✓	✓	✓
REAR BENCH SEAT FOR 4 PERSONS	-	-	✓
AIR-CONDITIONING SYSTEM, MANUAL	✓	✓	✓
MMT INFOTAINMENT SYSTEM, ADVANCED MID	✓	✓	✓
MAN SOUND SYSTEM	✓	✓	✓
SMARTPHONE INTEGRATION	✓	✓	✓
AUSTRALIA NAVIGATION MAP	✓	✓	✓
PREPARATION FOR REAR-VIEW CAMERA, 2 UNITS, ONE CAMERA LINKED TO REVERSE GEAR	✓	✓	✓
EXTENSION FOR PREPARATION FOR REAR-VIEW CAMERA, CONNECTION BEHIND CAB	✓	✓	✓
ADJUSTABLE BUNK HEADSECTION	-	✓	-
110mm COLD FOAM MATTRESS	-	✓	-
UNDERBUNK COOLBOX	-	✓	-





CC Cab



TN Cab



DN Cab



TGM 18.250-320 4×2 BL CH



ENGINE

	250hp / 184kW – MAN D0836 LFL86	290hp / 213kW – MAN D0836 LFL87	320hp / 235kW – MAN D0836 LFL88
NOMINAL OUTPUT	184kW (250hp) at 2,200rpm	213kW (290hp) at 2,200rpm	235kW (320hp) at 2,200rpm
MAX TORQUE	1,050Nm at 1,200–1,600rpm	1,150Nm at 1,200–1,700rpm	1,250Nm at 1,200–1,700rpm
CYLINDERS & ENGINE TYPE	Six-cylinder in-line engine	Six-cylinder in-line engine	Six-cylinder in-line engine
CAPACITY	6.9L	6.9L	6.9L
EMISSION NORM	Euro 5	Euro 5	Euro 5
EMISSION CONTROL SYSTEM	SCR technology – without EGR	SCR technology – without EGR	SCR technology – without EGR
ENGINE TURBO CHARGING	Single-stage turbo charger with direct air-air charge-air cooling	Single-stage turbo charger with direct air-air charge-air cooling	Single-stage turbo charger with direct air-air charge-air cooling
FUEL INJECTION	Electronically controlled common rail injection system	Electronically controlled common rail injection system	Electronically controlled common rail injection system



INTAKE/EXHAUST SYSTEM

	CC	TN	DN
AIR INTAKE LHS CABIN NO REAR PROTRUSION	-	✓	-
AIR INTAKE REAR OF CABIN RHS WITH REAR PROTURUSION	✓	-	✓
EXHAUST SILENCER RIGHT SIDE	✓	✓	✓
EXHAUST SILENCER COVER	✓	✓	✓



FRAME

	CC	TN	DN
FRAME PROFILE 220mm × 70mm × 7mm	✓	✓	✓
FRONT UNDERRIDE PROTECTION	✓	✓	✓
FINAL CROSS MEMBER WITH HOLE PATTERN 160 × 100mm	✓	✓	✓
SPARE WHEEL HOIST ON LEFT SIDE, BEHIND REAR AXLE	✓	✓	✓

TGM 18.250-320 4×2 BL CH



BRAKE SYSTEM

	CC	TN	DN
ANTI-LOCK BRAKING SYSTEM	✓	✓	✓
ELECTRONIC STABILITY PROGRAM	✓	✓	✓
ANTI-SLIP CONTROL	✓	✓	✓
MAN EASY START	✓	✓	✓
MAN HIGH PERFORMANCE ENGINE BRAKE	✓	✓	✓
ELECTRONIC BRAKING SYSTEM	✓	✓	✓
1 CYLINDER AIR COMPRESSOR 238 CCM	✓	✓	✓
PARK BRAKE CONTROL, IN INSTRUMENT PANEL	✓	✓	✓



DRIVETRAIN & CHASSIS EQUIPMENT

	CC	TN	DN
MAN TIPMATIC 1212 OD AMT GEARBOX	✓	✓	✓
MAN EFFICIENTROLL GEARBOX FUNCTION	✓	✓	✓
MAN TIPMATIC EFFICIENCY DRIVING PROGRAM	✓	✓	✓
MAN IDLE SPEED DRIVING GEARBOX FUNCTION	✓	✓	✓
SINGLE-DISC CLUTCH, 395mm, DRY	✓	✓	✓
7.5t DROPPED FRONT AXLE	✓	✓	✓
7.5t 1 LEAF PARABOLIC FRONT SUSPENSION	✓	✓	✓
11.5t HYPOID REAR AXLE	✓	✓	✓
13t 4 BAG ECAS REAR SUSPENSION	✓	✓	✓
4.11 REAR AXLE RATIO	✓	✓	✓
PI FR:01 295/80R R22.5" FRONT TYRES	✓	✓	✓
PI FR:01 295/80R R22.5" REAR TYRES	✓	✓	✓
1 × 300L STEEL FUEL TANK MOUNTED RHS CHASSIS	✓	✓	✓
1 × 35L ADBLU TANK MOUNTED RHS CHASSIS	✓	✓	✓
27L ADBLUE MOUNTED RHS CHASSIS	-	-	✓



STANDARD WARRANTY

	CC	TN	DN
1 YEAR ENTIRE VEHICLE COVERAGE	✓	✓	✓
4 YEAR 300,000 KM DRIVELINE COVERAGE	✓	✓	✓

TGM 18.250-320 4×2 BL CH



ELECTRICAL SYSTEM

	CC	TN	DN
BATTERY, 12V, 88AH, 2 UNITS, MAINTENANCE FREE	✓	✓	✓
2 BATTERIES, 12V, 150AH, STANDARD (SLI), MAINTENANCE FREE	-	✓	✓
ALTERNATOR, BASIC	✓	✓	✓
THREE-PHASE ALTERNATOR 28V, 120A, 3,360W, LONGLIFE ECO	-	✓	✓
MAIN BATTERY SWITCH, MECHANICAL	✓	✓	✓
LOCKABLE BATTERY BOX, WITHOUT PADLOCK	✓	✓	✓
SAFETY CUT-OUT	✓	✓	✓





SAFETY FEATURES

	CC	TN	DN
LANE GUARD SYSTEM (LGS)	✓	✓	✓
ADVANCED EMERGENCY BRAKE ASSIST (EBA)	✓	✓	✓
ROAD SPEED LIMITER, ADJUSTABLE, LIMITER (ENGINE SPEED REGULATION)	✓	✓	✓
EMERGENCY BRAKING SIGNAL (ESS)	✓	✓	✓
ADAPTIVE CRUISE CONTROL (ACC)	✓	✓	✓

TGM 18.250-320 4×2 BL CH



CHASSIS DIMENSIONS AND WEIGHTS



TGM 18.250-320 4×2 BL CH



CHASSIS DIMENSIONS AND WEIGHTS

WHEELBASE	CC CAB: WEIGHTS			TN CAB: WEIGHTS			DN CAB: WEIGHTS			TURNING	
	Front kg	Rear kg	Total	Front kg	Rear kg	Total	Front kg	Rear kg	Total	Kerb to Kerb	Wall to Wall
4,725mm	3,707	1,764	5,471	3,951	1,795	5,746	4,067	1,978	6,045	16.3	17.7
5,075mm	3,720	1,777	5,497	3,966	1,806	5,772	4,085	1,985	6,070	17.3	18.8
5,425mm	3,737	1,795	5,532	3,985	1,822	5,807	4,111	1,994	6,105	18.4	19.9
5,775mm	3,750	1,816	5,566	4,000	1,841	5,841	4,128	2,009	6,137	19.4	20.9
6,175mm	3,770	2,084	5,854	4,019	2,107	6,126	4,173	2,188	6,361	20.6	22.1

WHEELBASE	CC CABIN: CHASSIS DIMENSIONS						MAX (mm)	EMPTY (mm)	LOADED (mm)	EMPTY (mm)	LOADED (mm)		
	FOH	ROH	OAL	CA	CF	AE	BL	H1	H2	H3	H4	W1	W2
4,725mm	1,482	2,475	8,682	4,234	6,709	491	7,069	3,483	3,400	998	948	2,240	2,240
5,075mm	1,482	2,675	9,232	4,584	7,259	491	7,629	3,483	3,400	998	948	2,240	2,240
5,425mm	1,482	2,875	9,782	4,934	7,809	491	8,189	3,483	3,400	998	948	2,240	2,240
5,775mm	1,482	3,075	10,332	5,284	8,359	491	8,749	3,483	3,400	998	948	2,240	2,240
6,175mm	1,482	3,275	10,932	5,684	8,959	491	9,389	3,483	3,400	998	948	2,240	2,240

WHEELBASE	TN CABIN: CHASSIS DIMENSIONS						MAX (mm)	EMPTY (mm)	LOADED (mm)	EMPTY (mm)	LOADED (mm)		
	FOH	ROH	OAL	CA	CF	AE	BL	H1	H2	H3	H4	W1	W2
4,725mm	1,482	2,475	8,682	3,735	6,210	990	6,570	3,584	3,503	998	948	2,240	2,240
5,075mm	1,482	2,675	9,232	4,085	6,760	990	7,130	3,584	3,503	998	948	2,240	2,240
5,425mm	1,482	2,875	9,782	4,435	7,310	990	7,690	3,584	3,503	998	948	2,240	2,240
5,775mm	1,482	3,075	10,332	4,785	7,860	990	8,250	3,584	3,503	998	948	2,240	2,240
6,175mm	1,482	3,275	10,932	5,185	8,460	990	8,890	3,584	3,503	998	948	2,240	2,240

WHEELBASE	DN CABIN: CHASSIS DIMENSIONS						MAX (mm)	EMPTY (mm)	LOADED (mm)	EMPTY (mm)	LOADED (mm)		
	FOH	ROH	OAL	CA	CF	AE	BL	H1	H2	H3	H4	W1	W2
4,725mm	1,482	2,475	8,682	3,071	5,546	1,654	5,906	3,031	2,953	998	968	2,240	2,240
5,075mm	1,482	2,675	9,232	3,421	6,096	1,654	6,466	3,031	2,953	998	968	2,240	2,240
5,425mm	1,482	2,875	9,782	3,771	6,646	1,654	7,026	3,031	2,953	998	968	2,240	2,240
5,775mm	1,482	3,075	10,332	4,121	7,196	1,654	7,586	3,031	2,953	998	968	2,240	2,240
6,175mm	1,482	3,275	10,932	4,521	7,796	1,654	8,226	3,031	2,953	998	968	2,240	2,240

