



### CABS

	TN: NARROW, LONG, NORMAL HEIGHT
EXTERNAL LENGTH	2,280mm
EXTERNAL WIDTH	2,240mm
INTERIOR LENGTH	2,145mm
INTERIOR WIDTH	2,070mm
ENGINE TUNNEL HEIGHT	260mm
STANDING HEIGHT ON THE ENGINE TUNNEL	1,410mm
SEATS QUANTITY	2
STANDING HEIGHT IN FRONT OF THE CO-DRIVER'S SEAT	1,690mm
BUNK QUANTITY	1
BUNK WIDTH	800mm
BUNK LENGTH	1,960mm



### CAB EXTERIOR


OND EXTENSION	
	TN
CAB PAINT RAL 9016 - TRAFFIC WHITE	<b>✓</b>
BUMPER PAINT - TEXTURED COATING	<b>✓</b>
CABIN TILT MECHANISM - ELECTRIC	<b>✓</b>
ROOF SPOILER	<b>✓</b>
TILTING ROOF MECHANICAL	<b>✓</b>
SUNVISOR	<b>✓</b>
CENTRAL LOCKING WITHOUT REMOTE CONTROL	<b>✓</b>
WIPER ACTIVATION, MANUAL	<b>✓</b>
FRONT HEADLIGHTS, H7	<b>✓</b>
DAYTIME DRIVING LIGHTS, LED	<b>✓</b>
FOG LIGHTS, H7	<b>✓</b>
CORNERING LIGHT, H7	<b>✓</b>
DRIVING LIGHT CONTROL, MANUAL	<b>✓</b>
COMPRESSED AIR HORNS	<b>✓</b>
KERB MIRROR LEFT, ELECTRIC	<b>✓</b>
FRONT MIRROR, MECHANICAL	<b>✓</b>




### CAB INTERIOR

	TN
MULTI-FUNCTION STEERING WHEEL, ADJUSTABLE HEIGHT AND ANGLE	<b>✓</b>
STEERING WHEEL, WITH PARKING POSITION	<b>✓</b>
STEERING LOCK, WITH ELECTRONIC IMMOBILISER	✓
COMFORT DRIVER'S SEAT, AIR-SPRUNG, WITH LUMBAR SUPPORT AND SHOULDER ADJUSTMENT	<b>~</b>
DRIVER'S SEAT HEATING	✓
DRIVER'S SEAT ARM RESTS	✓
CO-DRIVER'S SEAT, NOT SPRUNG, LENGTH, HEIGHT AND BACKREST ADJUSTMENT	<b>✓</b>
AIR-CONDITIONING SYSTEM, MANUAL	✓
INSTRUMENTATION, BASIC	<b>✓</b>
MMT INFOTAINMENT SYSTEM, ADVANCED BASIC	✓
MAN SOUND SYSTEM	✓
SMARTPHONE INTEGRATION	✓
PREPARATION FOR REAR-VIEW CAMERA, 1 UNITS, ONE CAMERA LINKED TO REVERSE GEAR	<b>✓</b>
BUNK MATTRESS, BOTTOM, 70mm	<b>✓</b>
STORAGE COMPARTMENT, BELOW THE BUNK, WITH BULKHEAD	✓

#### TN Cab









#### **ENGINES**

	360hp / 265kW - MAN D2066 LF59	400hp / 294kW - MAN D2066 LF58	440hp / 324kW - MAN D2066 LF57
NOMINAL OUTPUT	265kW (360hp) at 1,900rpm	294kW (400hp) at 1,900rpm	324kW (440hp) at 1,900rpm
MAX TORQUE	1,800Nm at 1,000-1,400rpm	1,900Nm at 1,000-1,400rpm	2,100Nm at 1,000-1,400rpm
CYLINDERS & ENGINE TYPE	Six-cylinder in-line engine	Six-cylinder in-line engine	Six-cylinder in-line engine
CAPACITY	10.5L	10.5L	10.5L
EMISSION NORM	Euro 5	Euro 5	Euro 5
EMISSION CONTROL SYSTEM	SCR exhaust gas aftertreatment – without EGR	SCR exhaust gas aftertreatment – without EGR	SCR exhaust gas aftertreatment – without EGR
ENGINE TURBO CHARGING	Turbocharger, with intercooling	Turbocharger, with intercooling	Turbocharger, with intercooling
FUEL INJECTION	Electronically controlled common rail injection system	Electronically controlled common rail injection system	Electronically controlled common rail injection system



### INTAKE/EXHAUST SYSTEM

	TN
AIR INTAKE LHS CABIN NO REAR PROTRUSION	<b>✓</b>
EXHAUST SILENCER LEFT SIDE	<b>✓</b>
EXHAUST OUTLET, BOTTOM	<b>✓</b>
PRE-SEPARATOR FOR ENGINE AIR INTAKE	<b>✓</b>



#### **FRAME**

	TN
FRAME PROFILE 270mm × 85mm × 8mm	✓
FRONT UNDERRIDE PROTECTION	✓
FINAL CROSS MEMBER WITH HOLE PATTERN 160 × 100mm	✓





#### **BRAKE SYSTEM**

	TN
ANTI-LOCK BRAKING SYSTEM	<b>~</b>
ELECTRONIC STABILITY PROGRAM	✓
ANTI-SLIP CONTROL	✓
MAN EASY START	✓
MAN EVBEC HIGH PERFORMANCE ENGINE BRAKE	✓
ELECTRONIC BRAKING SYSTEM	✓
1 CYLINDER AIR COMPRESSOR 360 CCM	✓
PARK BRAKE CONTROL, FLOOR MOUNTED	✓
ANTI JACKNIFE BRAKE, FLOOR MOUNTED	<b>~</b>



#### DRIVETRAIN & CHASSIS EQUIPMENT

	TN
MAN TIPMATIC 12 26 DD AMT GEARBOX	✓
MAN EFFICIENTROLL GEARBOX FUNCTION	✓
MAN TIPMATIC EFFICIENCY DRIVING PROGRAM	✓
MAN IDLE SPEED DRIVING GEARBOX FUNCTION	✓
SINGLE-DISC CLUTCH, 430mm, DRY	✓
7.5t DROPPED FRONT AXLE	✓
7t 1 LEAF PARABOLIC FRONT SUSPENSION	✓
TANDEM 13t HYPOID REAR AXLES	✓
TANDEM 11.5t 4 BAG ECAS REAR SUSPENSION	✓
3.08 REAR AXLE RATIO	✓
PI FR:01 295/80R22.5" FRONT TYRES	✓
PI TR:01 295/80R22.5" REAR TYRES	✓
1 × 390L ALLOY FUELTANK MOUNTED RHS CHASSIS	✓
35L ADBLUE TANK MOUNTED RHS CHASSIS	✓





#### **ELECTRICAL SYSTEM**

	TN
BATTERY, 12 V, 175 AH, 2 UNITS, MAINTENANCE FREE	<b>✓</b>
ALTERNATOR, BASIC	✓
MAIN BATTERY SWITCH, MECHANICAL	✓
SAFETY CUT-OUT	✓



#### SAFETY FEATURES

	TN
LANE GUARD SYSTEM (LGS)	✓
ADVANCED EMERGENCY BRAKE ASSIST (EBA)	<b>✓</b>
ROAD SPEED LIMITER, ADJUSTABLE, LIMITER (ENGINE SPEED REGULATION)	<b>✓</b>
EMERGENCY BRAKING SIGNAL (ESS)	<b>✓</b>
ADAPTIVE CRUISE CONTROL (ACC)	✓
DRIVER'S AIRBAG WITH SEATBELT PRE TENSIONER	✓



#### **GVM & GCM**

	TN
GROSS VEHICLE MASS (GVM)	26,000kg
GROSS COMBINATION MASS (GCM)	55,000kg




#### FACTORY WARRANTY

	TN
1 YEAR ENTIRE VEHICLE COVERAGE	<b>~</b>
5 YEAR / 500,000km DRIVELINE COVERAGE	✓





#### CHASSIS DIMENSIONS AND WEIGHTS







### CHASSIS DIMENSIONS AND WEIGHTS

	NN	I CAB: WEIGH	тѕ	TN	CAB: WEIGH	TURNING		
WHEELBASE	Front kg	Rear kg	Total	Front kg	Rear kg	Total	Kerb to Kerb	Wall to Wall
3,200mm	4,828	3,460	8,288	4,998	3,476	8,474	16.2	17.7

	NN CABIN: CHASSIS DIMENSIONS						MAX (mm)	EMPTY (mm)	LOADED (mm)	EMPTY (mm)		LOADED (mm)		
WHEELBASE	FOH	ROH	OAL	CA	CF	AE	BL	H1	H2	НЗ	H4	W1	W2	
3,200mm	1,475	725	6,907	2,735	4,810	465	N/A	3,657	3,593	998	968	2,500	2,240	

	TN CABIN: CHASSIS DIMENSIONS						MAX (mm)	EMPTY (mm)	LOADED (mm)	EMPTY (mm)		LOADED (mm)		
WHEELBASE	FOH	ROH	OAL	CA	CF	AE	BL	H1	H2	НЗ	H4	W1	W2	
3,200mm	1,475	725	6,907	2,029	4,104	1,171	N/A	3,615	3,551	998	968	2,500	2,240	

Note: Chassis weight includes oil, water, AdBlue, 90% fuel and 90kg driver. Weight can vary  $\pm$  3%.

